

**Work Order ID: 85882**

June-18-12 10:47:24 AM

**\*85882\***

Page 1

Item ID: D2572

Accept

**\*N900040100\***Setup Start **\*NS1\***

Revision ID:

Stop **\*NS2\***

Item Name: Saddle, Fwd In 205

Start Date: 18/06/2012 Start Qty: 8.00

**\*8\***

Cust Item ID:

Required Date: 06/07/2012 Req'd Qty: 8.00

**\*8\***

Customer:

Reference:

Approvals:

Process Plan: MLJDate: 12/06/18

Tooling:

Date:

Run Start **\*NR1\***

QC:

Date:

SPC (Y/N):

Date:

Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D2572

Rev E

100

0.00

**\*100\***

HAAS CNC VERTICAL MACHINING #1

HAAS 1

0.00

HAAS CNC vertical machine #1

Memo

Program Batch No. 85882Double check by: SL

1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets

2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets

3-Machine Step No 3 per Folio FA051 and insp

SL  
24 12.6.26P 4

110

0.00

**\*110\***

CONVENTIONAL MILLING MACHINE

Mill Conv

0.00

Conventional Milling Machine

Memo

Machine keyway as per dwg D2571 &amp; D2572

SL  
24 12.6.268 4

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 85882

June-18-12 10:47:24 AM

**\*85882\***

Page 2

Item ID: D2572

Accept

**\*N900040100\***

Setup Start

**\*NS1\***

Revision ID:

Item Name: Saddle, Fwd In 205

Stop

**\*NS2\***

Start Date: 18/06/2012 Start Qty: 8.00

**\*8\***

Cust Item ID:

Required Date: 06/07/2012 Req'd Qty: 8.00

**\*8\***

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

**\*NR1\***

QC:

Date:

SPC (Y/N):

Date:

Stop

**\*NR2\***

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Tool ID

Tool #

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

120

QC2- Inspect parts off machine FAI/FAIB

0.00

**\*120\***

QC

Memo

0.00

Quality Control

130

QC8- Inspect parts - second check

0.00

**\*130\***

QC

Memo

0.00

Quality Control

140

Chemical Conversion Coat per QSI005 4.1

0.00

**\*140\***

HandFinish

Memo

0.00

Hand Finishing

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 85882

June-18-12 10:47:24 AM

**\*85882\***

Page 3

Item ID: D2572

Accept

**\*N900040100\***

Setup Start

**\*NS1\***

Revision ID:

Item Name: Saddle, Fwd In 205

Stop

**\*NS2\***

Start Date: 18/06/2012 Start Qty: 8.00

**\*8\***

Cust Item ID:

Required Date: 06/07/2012 Req'd Qty: 8.00

**\*8\***

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

**\*NR1\***

QC:

Date:

SPC (Y/N):

Date:

Stop

**\*NR2\***

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Tool ID

Tool #

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

150

White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum

0.00

**\*150\***

Powdercoat

Memo

START TIME:

OVEN TEMPERATURE:

FINISH TIME:

11-20 0.00  
320 0 F  
11-50

8X 0

M-F  
12/07/03

Powder Coating

M121841

160

QC3- Inspect Part Finish

0.00

**\*160\***

QC

Memo

0.00

8 2 28/12 12/07/03

Quality Control

170

Identify as per dwg & Stock Location: 432

0.00

**\*170\***

Packaging

Memo

0.00

8

12/07/04 JB

Packaging

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 85882

**\*85882\***

Page 4

June-18-12 10:47:24 AM

Item ID: D2572

Accept

**\*N900040100\***

Setup Start **\*NS1\***

Revision ID:

Stop **\*NS2\***

Item Name: Saddle, Fwd In 205

Start Date: 18/06/2012 Start Qty: 8.00

**\*8\***

Cust Item ID:

Required Date: 06/07/2012 Req'd Qty: 8.00

**\*8\***

Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Run Start **\*NR1\***

QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180	QC21- Final Inspection - Work Order Release	0.00							
<b>*180*</b>									
QC	Memo	0.00							
Quality Control									

12/7/5 *[Signature]*

ME  
12-07-04

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



# Picklist Print

June-18-12 10:47:28 AM

Page 1

Work Order ID: 85882

\*85882\*

Parent Item: D2572

\*D2572\*

Parent Item Name: Saddle, Fwd In 205

Start Date: 18/06/2012

Required Date: 06/07/2012

Start Qty: 8.00

Required Qty: 8.00

Comments: IPP: I02.10.02Re-format; Change to Dwg Rev. D & incorporated  
D2572KJ

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-005		Manufactured	No			100	Each	55.0000	1	8			
*D6101-005*									**			SL 12-06-25	
Saddle Billet													

Location

Loc Qty

Loc Code

MAT041

2

76838

2

MAT044

53

79874

19

81973

4

85429

30

8

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

<b>DART AEROSPACE LTD</b>	<b>Work Order:</b>	85887
<b>Description:</b> Saddle, Fwd Inboard	<b>Part Number:</b>	D2572
<b>Inspection Dwg:</b> D2572 Rev. E		<b>Page 1 of 1</b>

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				1	2	3	4		
A	0.438	0.443		.439	.439	.439	.439		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.001	7.999	7.997	8.000		
F	0.490	0.510		.500	.502	.499	.495		
G	0.257	0.262		.258	.258	.258	.258		
H	0.375	0.380		.379	.377	.377	.377		
I	0.490	0.510		.501	.500	.499	.500		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		.568	.568	.568	.568		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.490	1.500		1.495	1.495	1.495	1.495		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	3.869	3.879		3.874	3.874	3.874	3.874		
P	0.115	0.135		.125	.125	.125	.130		
Q	0.115	0.135		.130	.130	.130	.130		
R	0.240	0.260		.250	.250	.251	.253		
S	0.115	0.135		.126	.126	.125	.128		
T	0.178	0.198		.188	.188	.188	.188		
U	2.940	2.980		2.960	2.960	2.960	2.960		
V	0.230	0.250		.241	.240	.239	.240		
W	0.115	0.135		.127	.128	.135	.135		
X	0.307	0.312		.310	.310	.310	.319		
Y	0.760	0.765		.760	.760	.760	.760		
Z	0.352	0.372		.362	.363	.363	.363		
AA	0.470	0.530		.500	.500	.500	.500		
AB	0.615	0.635		.625	.625	.625	.625		
AC	0.053	0.073		.063	.063	.063	.063		
AD	0.240	0.260		.250	.248	.249	.253		
AE	1.375	1.395		1.386	1.385	1.388	1.388		
AF	0.115	0.135		.135	.135	.135	.135		
AG	0.240	0.280		.260	.260	.260	.260		
AH	0.240	0.260		.250	.250	.249	.251		
AI	2.000	2.020		2.001	2.000	2.003	2.003		
AJ	0.023	0.043		.033	.033	.033	.033		
Accept/Reject									

Measured by:	SL / 1029
Date:	12-06-25

Audited by:	B.P.
Date:	12/06/30

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

<b>DART AEROSPACE LTD</b>	<b>Work Order:</b>	85882
<b>Description:</b> Saddle, Fwd Inboard	<b>Part Number:</b>	D2572
<b>Inspection Dwg:</b> D2572 Rev. E		<b>Page 1 of 1</b>

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	A5	A6	A7	A8		
A	0.438	0.443		.439	.439	.439	.439		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.004	8.003	8.001	8.002		
F	0.490	0.510		.499	.498	.488	.470		
G	0.257	0.262		.258	.258	.258	.258		
H	0.375	0.380		.377	.377	.377	.377		
I	0.490	0.510		.499	.500	.500	.500		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		.568	.568	.568	.568		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.490	1.500		1.495	1.495	1.495	1.495		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	3.869	3.879		3.874	3.874	3.874	3.874		
P	0.115	0.135		.128	.127	.127	.127		
Q	0.115	0.135		.130	.130	.130	.130		
R	0.240	0.260		.253	.253	.253	.253		
S	0.115	0.135		.130	.130	.130	.130		
T	0.178	0.198		.188	.188	.188	.188		
U	2.940	2.980		2.960	2.960	2.960	2.960		
V	0.230	0.250		.241	.240	.240	.240		
W	0.115	0.135		.135	.135	.135	.135		
X	0.307	0.312		.310	.310	.311	.311		
Y	0.760	0.765		.760	.760	.760	.760		
Z	0.352	0.372		.363	.363	.363	.363		
AA	0.470	0.530		.50	.50	.50	.50		
AB	0.615	0.635		.625	.625	.625	.625		
AC	0.053	0.073		.063	.063	.063	.063		
AD	0.240	0.260		.260	.260	.260	.260		
AE	1.375	1.395		1.385	1.387	1.387	1.387		
AF	0.115	0.135		.135	.135	.135	.135		
AG	0.240	0.280		.260	.260	.260	.260		
AH	0.240	0.260		.250	.250	.250	.250		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		.033	.033	.033	.033		
Accept/Reject									

Measured by: 29  
Date: 12.6.27

Audited by: B.A  
Date: 12/06/30

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_



Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

RELEASED




05.12.06



## NOTES

MATERIAL: 7075-T7351 (00-A-250/12)  
 (REF DART SPEC. D6102-003)  
 FINISH: ACID ETCH, ALODINE PER DART QSI 005 4.1  
 POWDER COAT GLOSS WHITE (REF 4.3.5.1) PER  
 DART QSI 005 4.3  
 BREAK ALL SHARP EDGES 0.010 TO 0.020  
 TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

- 1 ENGRAVE PART AND BATCH NUMBER IN THIS AREA TO MAX DEPTH OF 0.010  
 2 CHAMFER 0.063" x 45° AROUND THIS SURFACE (TYPICAL 2 PLACES)  
 3 CHAMFER 0.063 x 45° ALL AROUND  
 4 CHAMFER 0.033 x 45° (SEE DETAIL C) E



SHOP COPY  
 RETURN TO  
 ENGINEERING  
 UNCONTROLLED COPY  
 SUBJECT TO AMENDMENT  
 WITHOUT NOTICE

DETAIL C  
 SCALE 2:1

WORK ORDER  
 NO. 85882 MLJ  
 12/06/18

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL  
 AND IS SUPPLIED ON THE EXPRESS CONDITION  
 THAT IT IS NOT TO BE USED FOR ANY PURPOSE  
 OR COPIED OR COMMUNICATED TO ANY OTHER  
 PERSON WITHOUT WRITTEN PERMISSION FROM  
 DART AEROSPACE LTD.

E	05.07.13	ADD CHAMFER ON RIDGE NOTE 4
D	02.09.06	ADD RIDGES; TIGHTEN TOLERANCES
C	99.10.22	INCORP. DEO 9123/9079/9102 ADD DIMENSIONS PER TSR A1177
B	96.12.02	ADD GRAIN DIR., 0.438 WAS 0.425
A	96.09.16	NEW ISSUE
DESIGN	DS	DRAWN BY PH
CHECKED	#	APPROVED #
DATE	05.07.13	DRAWING NO. D2572
		TITLE INNER FWD SADDLE
		REV. E SHEET 1 OF 1 SCALE 2:3

**DART**DART AEROSPACE LTD.  
HAMPSHIRE, ONTARIO, CANADA

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries